Tenax

WITH US

Professional

TOP SELECTION

ASM

ADVANCED STONE &
MASONRY SUPPLIES

00 TENAX

Innovate with us

We always work alongside our customers with technological and innovative solutions for the processing of natural stone, quartz, and ceramics

For over 65 years, Tenax has been providing research, technology and innovation for the NATURAL STONE, CERAMIC and QUARTZ surfaces sector. Through the INDUSTRIAL and PROFESSIONAL divisions, it offers effective solutions for the entire supply chain: from industrial production to transformation, the construction area and maintenance. Founded in 1956, Tenax is an Italian company that, thanks to a constantly growing process, is currently a brand found in over 100 countries and recognized worldwide for excellence in the production of mastics, epoxy systems, surface treatments and abrasives. With 6 branches on 4 continents and a comprehensive team of specialists, it supports professionals and companies in achieving their goals.

Index

01 RESINING & LAMINATION

EPOXY SYSTEMS 2

02 BONDING

MASTICS AND GLUES
- POLYESTER ..... 3 | 4
- VINYLESTER 5
- GLAXS 6
- EPOXY 7

SPECIAL
- GLUE IN CARTRIDGE 9

ACCESSORIES 10

03 PROTECTION

ENHANCERS 11
SEALERS 12

04 INSTALLATION

SILICONS 13
ADHESIVES 14

05 CLEANING & MAINTENANCE

DETERGENTS ..... 15 | 16

Epoxart Kit 4 to 1

EPOXY SYSTEM KIT 4:1 FOR RESINING, NETTING AND REPAIRING

COD. 00031860
COD. 00031861

PREVIOUS PACKAGING

Fast epoxy system to resin and nett stone materials. The use of this epoxy system is particularly suitable where a natural effect is required, without altering the colour of the material. Its formulation combines the high reaction speed with low yellowing over time.

- **Appearance:** liquid transparent
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 4+1
- **Gel time in bulk (25°C):** 7-8min
- **Working time:** 6-8h

MEDIUM VISCOSITY

MEDIUM HARDNESS

SUPERB REACTIVITY TO COLD

NS
Natural stone

Indoor
Outdoor

Epoxart Kit 2 to 1

EPOXY SYSTEM KIT 2:1 FOR RESINING, NETTING AND REPAIRING

COD. 00031868
COD. 00031869

PREVIOUS PACKAGING

Epoxy system to resin and nett stone materials. The use of this epoxy system is particularly suitable where high penetration is required,in case of micro-cracks or when you want to increase the tone of the material.

- **Appearance:** clear hazy-liquid
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 2+1
- **Gel time in bulk (25°C):** 55-75min
- **Working time:** 24h

LOW VISCOSITY

MEDIUM HARDNESS

SUPERB ADHESION

NS
Natural stone

Indoor
Outdoor

Solido

COD. 00034601

COLOURED SOLID POLYESTER MASTIC

Strong and rapid coloured mastic with low yellowing. Soft and easy to spread, it is ideal for visible bonding, laminations and repairs.

PREVIOUS PACKAGING

STRONG AND RAPID BONDING

VERY SOFT AND EASY TO TROWEL

EXCELLENT SPREADABILITY

- **Appearance:** Coloured paste
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 100+2/3
- **Gel time in bulk (25 °C):** 4-5 min
- **Tacky free in thin layer (25°C):** 25-30 min
- **Working time (25 °C):** 60-80 min

TRASPARENT | WHITE | GREY | DARK GREY | BLACK | STRAW

NS Q

Natural stone
Quartz

Other features:

- Easily polishable
- Very bright

www.asmsupplies.co.uk

Solido XQ

COLOURED SOLID POLYESTER MASTIC

COD. ART 00034653

Strong and fast coloured mastic from low yellowing. Very soft and easy to trowel, it does not lose verticality and is ideal for exposed bonding, laminations and repairs. Available in a wide range of colours according to match colour with major agglomerate brands.

PREVIOUS PACKAGING

STRONG AND FAST BONDING

VERY SOFT AND EASY TO TROWEL

DOES NOT LOSE VERTICALITY

- **Appearance:** thixotropic paste
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 100+2/3
- **Gel time in bulk (25 °C):** 3-5 min
- **Time out of touch in layer thin (25°C):** 25-30 min
- **Working time (25 °C):** 60-80 min
- Easily polishable
- Very bright

OPTICAL WHITE-P | PAPER WHITE-P | WHITE | BEIGE | CREMA | CREMA DARK

CEMENT-P | KHAKI | CITY GREY-P | UNDERGROUND-P | BLACK

NS Q

Natural stone • Quartz

Titanium

COD. 00034648

VINYLESTER GLUE

Extra strong and fast transparent glue characterized by the low yellowing and excellent colour stability. Multi-material and available in both versions liquid and solid, it is ideal for visible bonding and lamination.

PREVIOUS PACKAGING

EXTRA STRONG AND FAST BONDING

LOW YELLOWING

IDEAL FOR VISIBLE BONDING

- **Appearance:** Coloured paste
- **Mixing ratio:** 100+1/2
- **Gel time in bulk (25 °C):** 3.30-4.30 min
- **Tacky free in thin layer (25°C):** 20 min
- **Working time (25 °C):** 25-35 min

CLEAN WHITE | PAPER WHITE | NEUTRO | EXTRA CLEAR | BLACK

NS C Q

Natural stone • Ceramic • Quartz

Other features:

- Does not halo
- Very bright

www.asmsupplies.co.uk

Glaxs A+B

COD. 00031624

TRANSPARENT SOLID GLUE ZERO YELLOWING

Extra strong and extra clear solid glue characterized by total absence of yellowing in the sun over time. Completely invisible, easily polished and suitable for extreme temperatures, it is ideal for all visible bonding.

PREVIOUS PACKAGING

- **ZERO YELLOWING**
- **EXTRA STRONG BONDING**
- **EXTRA CLEAR**

- **Appearance:** Soft gel (part A) + liquid (part B)
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 100+45
- **Gel time in bulk (25 °C):** 8-10 min

NS C Q

Natural stone • Ceramic • Quartz

Indoor
Outdoor



Eliox A+B
EXTRA CLEAR SOLID EPOXY MASTIC

COD. ART 00034658
COD. ART 00034661

NS C Q
Natural stone • Ceramic • Quartz

PREVIOUS PACKAGING

Extra strong and extra clear solid mastic. Its very low yellowing, extreme spreadability and shiny, glossy appearance make it ideal for exposed bonding, facades and flooring.

- **Appearance:** Coloured paste
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 100+50
- **Gel time in bulk (25 °C):** 10-15 min
- **Tacky free in thin layer (25°C):** 3h - 3h 30min

Indoor Outdoor
Food contact

EXTRA STRONG BONDING
VERY LOW YELLOWING
IDEAL FOR VISIBLE BONDING

Domo 10 A+B
SOLID EPOXY MASTIC

COD. ART 00034598
COD. ART 00034599

NS C Q
Natural stone • Ceramic • Quartz

PREVIOUS PACKAGING

Solid mastic with extreme performance in terms of bonding force and strength. Suitable for bonding and coupling, even on wet surfaces, it is also ideal for mixed bonding and under extreme temperatures.

- **Appearance:** Coloured paste
- **Colourable:** Universal colouring pastes
- **Mixing ratio:** 100+100
- **Gel time in bulk (25°C):** 2h 30min
- **Tacky free in thin layer (25°C):** 4h
- **Available Colours:** Black and White

Indoor Outdoor

EXTREME BONDING
EVEN ON WET SURFACES
IDEAL FOR LAMINATION AND MIXED BONDING

Colouring universal paste

COD. 00031490 (10 UNIT)
COD. 00021637 (6 UNIT)

Universal colour pastes for polyester mastics and resins and epoxy systems.

EASY TO MIX
UNIVERSAL COLOURING

COLOUR	WHITE	BLACK	GREEN	YELLOW	BROWN	RED	GREY	RED/BROWN	BUFF	BLUE
COLOUR COD.	10009	10710	10508	10301	11133	10410	10609	10609	10156	10802
SALES UNIT 6	•	•	•	•	•	•				
SALES UNIT 10	•	•	•	•	•	•	•	•	•	•

www.asmsupplies.co.uk

Colour chart

Glaxs Fast

FAST ZERO YELLOWING GLUE

COD. 00034575

PREVIOUS PACKAGING

Zero yellowing glue in convenient cartridge format. Extreme bonding strength, fast curing and maximum colour stability in sunlight make it the deale for 45° multimaterial bonding both indoors and outdoors.

- **Appearance:** Coloured gel
- **Gel time in bulk (25 °C):** 3-5 min
- **Working time (25 °C):** 45-60 min

EXTRA STRONG

ZERO HALOS

MAXIMUM STABILITY IN SUNLIGHT

NS C Q

Natural stone • Ceramic • Quartz

Indoor
Outdoor

Other features:

- Does not drip
- Easily polishable

Titanium

COLORED VINYLESTER GLUE

COD. 00034660

PREVIOUS PACKAGING

Transparent and coloured glue in the convenient cartridge format. Strong bonding, fast curing and wide colour range make it ideal for 45° multi-material bonding.

- **Appearance:** Coloured paste
- **Gel time in bulk (25 °C):** 5-7 min
- **Working time (25 °C):** 20-25 min

ULTRA RAPID

STRONG

ZERO HALO

NS C Q

Natural stone • Ceramic • Quartz

Food contact

Other features:

- Does not drip
- Easily polishable

www.asmsupplies.co.uk

Accessories

DISP200LMUNI

COD. 00029545

SPAUTLAVERNICI

COD. 00021393

TENAX CARTRIDGES				MIXER
PRODUCT	PICTURE	CODE	SIZE	MIXER
Glaxs Fast		Glaxs fast pack	215 ML	COD. 00028765 MIXERACFR1024-2:1
Titanium		Titanium cartridge	250 ML	COD. 00032459 MIXERACFR1024-10:1

Ager

COD. 00034556

COLOUR ENHANCER IMPREGNATOR SEALER

Colour enhacer impregnator sealer wet effect. Its high penetration capacity, long life and weather resistance make it the ideal product for those looking for a product with extreme performance in terms of wet-effect toning and surface protection.

PREVIOUS PACKAGING

- **EXTREME LONG-LASTING ENHANCING**
- **MAXIMUM PROTECTION**
- **WEATHER RESISTANT**

- Penetrates deeply
- Allows the material to breathe

NS Q

Natural stone
Quartz

Solvent based



www.asmsupplies.co.uk

Ager Fs
COLOUR ENHANCER IMPREGNATOR SEALER

COD. ART 00034584

NS Q
Natural stone • Quartz

PREVIOUS PACKAGING

Colour enhancer impregnator selaer. Its high penetration capacity, long life and weather resistance make it the ideal product for those looking for a product with extreme performance in terms of wet-effect toning and surface protection. Approved for food contact.

- Penetrates deeply
- Does not create surface film
- Allow the material to breathe

EXTREME LONG-LASTING TONING

MAXIMUM PROTECTION

WEATHER RESISTANT

Food contact | Solvent based

Proseal
NATURAL EFFECT IMPREGNATOR SEALER

COD. ART 00034584

NS Q
Natural stone • Quartz

PREVIOUS PACKAGING

Natural effect water-oil impregnator sealer. Its high penetration capacity and resistance to weathering make it ideal for high and long-lasting protection of surfaces.

- Does not create surface film
- Allows the material to breathe

HIGH LONG-LASTING PROTECTION

ALSO IDEAL FOR LARGE SURFACES

Solvent based

Proseal nano
NATURAL EFFECT WATER BASED SEALER

COD. 00034586

NS Q
Natural stone • Quartz

PREVIOUS PACKAGING

Natural effect water-oil impregnator sealer. Its high penetration capacity and resistance to weathering make it ideal for extreme and long-lasting protection of surfaces.

- Weather resistant
- Does not alter the colour
- Does not create surface films
- Allows the material to breathe

EXTREME LONG-LASTING PROTECTION

DEEP PENETRATION

Solvent based



www.asmsupplies.co.uk

Si Silicone

COD. 00034683

NEUTRAL SILICONE SEALANT - SURFACE FINISH

Neutral multi-material silicone sealant ideal for materials that are easy to halation. Elastically seals and fixes ensuring a watertight and waterproof seal and long-lasting sealing.

PREVIOUS PACKAGING

- **IDEAL FOR MARBLE AND ALL NATURAL STONES**
- **PERFECT SEALING**
- **FAST SETTING**

- **Appearance:** Transparent or coloured paste
- **Gel time in bulk (25 °C):** 15-18 min
- **Tacky free time:** 30-35 min

POLAR WHITE-P | CLEAN WHITE 611 | PLATINUM 310 | OCEAN GREY-P | TRANSPARENT | CANESUGAR 406

CEMENT-P | DAVY'S GREY 306 | ANTRACITE-P | BROWN-P | BLACK BAHIA-P

NS C Q

Natural stone • Ceramic • Quartz

Other features:

- Flexible
- Resistant to mold and UV rays
- Does not halo

www.asmsupplies.co.uk

Supergrip
ONE-COMPONENT MS POLYMER ADHESIVE

COD. 00034708

NS C Q
Natural stone • Ceramic • Quartz

PREVIOUS PACKAGING

Paste adhesive specifically for multi-material assembly. Its quick setting, extra strong long-lasting adhesion and flexibility make it ideal for placing undertops, sinks or tubs.

- **Appearance:** White paste
- **Curing time in thin layer:** 2-3h (neutral), 5h (transparent)
- Resistant to humidity
- Does not contain solvents

- QUICK GRIP
- EXTRA STRONG LONG-LASTING ADHESION
- FLEXIBLE

Terod
PASTE GLUE FOR RODDING

COD. ART 00034176

NS C Q
Natural stone • Ceramic • Quartz

PREVIOUS PACKAGING

Extra strong and ultra fast paste glue specifically for rodding. Maximum elasticity, low shrinkage and high tightness make it the ideale for under-top structural reinforcement (rodding).

- **Appearance:** Paste
- **Gel time in bulk (25 °C):** 3-6 min
- **Working time:** 18-24 min
- Does not drip
- Also ideal for gluing clips in metal

Indoor
Outdoor

- EXTRA STRONG AND ULTRA-FAST BONDING
- MAXIMUM ELASTICITY
- LOW SHRINKAGE

Ceramic razor blade
BONDING REFINER

COD. 00030629

Tenax ceramic razor blades stay sharp for long life, contribute to a clean work area and are hard and resistant so they wont snap during use.

- MATERIAL IS FREE FROM METAL MARKS
- NO RUST DISCOLORATIONS
- STAY SHARP FOR LONG LIFE

www.asmsupplies.co.uk

Booster Alk Easy

COD. 00034722

UNIVERSAL ALKALINE DEGREASER

Universal alkaline degreaser cleaner in handy spray bottle format. Easy to rinse, it is the ideal ally for strong cleaning of organic and inorganic stains. Removes dirt and fingerprints quickly while respecting joints and steel.

PREVIOUS PACKAGING

STRONG AND FAST ACTION

RESPECTS JOINTS AND STEEL

EASY RINSING

- Ideal for extraordinary cleaning and removal of water, wine, coke, coffee, daily food dirt, fruit stains, fingerprints, wax residue.

NS C Q

Natural stone • Ceramic • Quartz

H_2O Water based

PRO Professional

Briotop
NEUTRAL DETERGENT

COD. ART 00034724
COD. ART 00034725

PREVIOUS PACKAGING

Neutral detergent in handy spray bottle format. Ideal for cleaning all surfaces, it is the ideal ally for daily cleaning. It requires no rinsing and, thanks to its formulation, leaves no haloes and dries quickly.

- Also ideal for glass
- Ideal for cleaning ordinary stains, halos, fingerprints, surface stains

FOR ALL SURFACES

LEAVES NO HALOES

FAST DRYING

NS C Q

Natural stone • Ceramic • Quartz

H_2O

Water based

Booster acid
CONCENTRATED ACID DESCALER

COD. ART 00034682

PREVIOUS PACKAGING

Concentrated acid descaler, the specific ally for end-of-site cleaning. Extra strong, removes the most stubborn scorch while respecting joints and steel. Avoid polished marble surfaces.

- Removes all cement residues, residues of paint, mortar, stucco, plaster.
- Eliminates limescale and salt efflorescence.

EXTRA STRONG

IDEAL FOR END-OF-SITE CLEANING

RESPECTS JOINTS AND STEEL

NS C Q

Natural stone • Ceramic • Quartz

H_2O

Water based

PRO

Professional

Industrial

State-of-the-art technological solutions for the Natural Stone, Ceramic and Quartz industries.
With over sixty years of experience, Tenax is a leader in industrial processing thanks to a complete range of cutting-edge solutions able to accompany the customer at all stages of processing. TENAX is structured to provide an effective response to the specific needs of the Natural Stone, Ceramic and Quartz Industries with dedicated product lines to respond quickly to market developments and customization requests. Mastics, resins, abrasives, surface treatments and tools specifically designed to guarantee the best performance, increasingly refined processing and enhance the qualities of the different materials.

Professional

Innovative solutions designed specifically for the processing of Natural Stone, Ceramic and Quartz surfaces.
Professional is the Tenax division completely dedicated to the processing of surfaces by fabricators, marble workers, maintenance workers, and craftsmen, with products specifically designed for needs other than industrial processing. With this division, Tenax has made available its enormous wealth of experience at the service of every single professional, offering a complete line of solutions that can guarantee the desired results on all surfaces.



HEADQUARTERS TENAX S.p.a
Via I Maggio, 226/263
37020 Volargne (VR) - ITALY
P +39 045 686 0222
F +39 045 686 2456
tenax@tenax.it

REV 01/24

ITALY BRAZIL SPAIN CHINA INDIA TURKEY USA

TENAX.IT

Distibuted by

ASM SUPPLIES
Technical Telephone: 07595 643413
Email: davidcoster@asmsupplies.co.uk

Office Telephone: 020 3011 0622
Email: info@asmsupplies.co.uk